INDEX *

Abnormal values, 76
Absolute measurements, 9–13
  definitive value, 9*d*
  dubiety, 9*d*
  opinion of worker, 11
  procedure, 10
  quaesitum, 4, 9*d*
  report, 12
  search for errors, 11
Acceleration of wheel, 29, 44, 100–101
Accuracy, worker's estimate, 11
  limited by standards, 11
Ambiguities, 54, 55
Anderson, W. C., 2, 4, 70, 82–84, 86–89, 103
Average, significant digits, 7
  validity, 6

Base diameter, 98*d*
Best value, 7, 8
Bias, 62
Birge, R. T., 3[6]
Bowie, E. H., 69
Bowie, W., 66, 67, 70, 79
Brace, D. B., 54

Catenary, 57
Chance, 11, 12
Conclusions, 85
Condition, equation of, 7
Conservation of light, 13
Constant error, 6
Cornu, A., 2–4, 15–36, 37, 43, 49, 55, 63, 66, 76, 77, 78, 81, 85–87, 89–92, 94–96, 100–102
  apparatus, 18
  approximations, 29
  auxiliary vibrator, 18, 23–29
  critical region, 22, 23, 30, 31, 46, 95*d*, 96
  crossed double observation, 19*d*, 94, 96*d*
  definitive values, 33–36
  diameter of effective source, 18, 90
  discordance dubiety, 21
  discussion of data, 31
  double observation, 19*d*, 94, 96*d*
  equivalent sectored disk, 23, 91*d*
  errors, sources of, 22
  Helmert's discussion, 17
  hesitation term, 19, 92
  K-formula is erroneous, 31
  normal region, 22, 95*d*
  oscillator, 18, 23–29
  phantom, 23, 91*d*
  procedure, 15, 19
  purpose of work, 18
  rectified values, 31, 32
  report, 1874, 17;1876, 17
  smoked wheels, 23
  timing, 18
  treatment of data, 29
  vibrator, 18, 23–29
  wheels, 18, 23
  work of 1872, 15
    of 1876, 17
Critical region, 22, 23, 30, 31, 46, 95*d*, 96
Crossed double observation, 19*d*, 94, 96

Data, primary is essential, 3
  report erratic, 12
Deficiency dubiety, 10*d*
Definitive value, 9*d*
Delay at reflection, 88, 89
Deming, W. E., 5[8]
Detectable error, 5, 6
Deviation, mean, 5*d*
  root-mean-squared, 9
  standard, 5*d*
Diameter, base, 98*d*
Diameter of effective source, 18, 45, 90
Diffraction effects, 13
Discordance dubiety, 9*d*, 10
Disk, equivalent sectored, 23, 91*d*
Double observation, 19*d*, 94, 96
Drift in the velocity, 2, 3, 87
Dubiety, 9–10

Edges, matched, 98*d*
Edmondson, F. K., 3
Ehrenfest, P., 70[34]
Eisenmann, J., 64
Equations, index of, 110
  normal, 8, 9
  of condition, 7
  weighting of, 8
Equivalent sectored disk, 23, 91*d*
Erratic data to be reported, 12
Erroneous *K*-formula, 31
Error, least detectable, 5, 6
  probable, 4*d*, 5, 51
  quartile, 4*d*
  technical probable, 4*d*, 5, 51
  in weighting, 8
Errors, to be sought, 10–12
  constant, 6*d*
  systematic, 6*d*, 46
  theory of, 4

Fair sample, 5, 7
Family of measurements, 4*d*
Fizeau, H., 2, 4, 13, 15, 16, 18, 36, 66, 81, 85, 89, 90, 102, 104
  method of, 90–101
  work, 13
Forbes, G., 4, 77
Fork, frequency of, 59, 64, 70
  temperature of, 62

Foucault, L., 2, 4, 13, 14, 16, 17, 47, 54, 55, 63, 64, 66, 77, 78, 80, 81, 85, 86, 89, 101–103
  conservation of light, 13
  diffraction effects, 13
  method of, 101–103
  principles obscure, 89
  unappreciated by Michelson, 14, 66
Froment, P. G., 13, 15

Gheury de Bray, M. E. J., 2, 3, 76, 83
Gramatzki, H. J., 3[6]
Gray, L. G., 69
Group velocity, 70, 82, 89

Helmert, F. R., 3, 17, 63, 77, 85
  -Cornu value, 17
    discussion, 17
Helweg, J. F., 55
Heminway, A. G., 55
Hesitation term, 42, 92*d*
Holcombe, 49
Hüttel, A., 4, 84–85, 86–89, 103

Impulse sustained oscillations, 105–106
Irregularities, Mechanical, 95–100

Karolus, A., 81, 82, 84, 86, 88, 89, 103, 104
Kelvin, (Lord), 12
Kennedy, R. J., 3[6]
Kerr-cell methods, 103–104
K-formula erroneous, 31
Kitchener, (Earl), 3[6]

Ladenburg, R., 69
Least detectable error, 5, 6, 10
Least squares, 7–9
Legendre, A. M., solution, 7, 8
LeVerrier, U. J. J., 18
Light, conservation of, 13
Limiting mean, 4*d*
Listing, J. B., 76, 77[40], 78
Lorentz, H. A., 81, 88, 90

Machiels, A., 3[6]
Matched edges, 98*d*
Maurer, H., 3[6]
Mayer, A. M., 56, 59
Mean, limiting, 4*d*
Measurement, absolute, 9–13
Measurements, family of, 4*d*
Mensural dubiety, 9*d*
Methods, 89
Michelson, A. A., 2, 3, 4, 14, 47, 49, 54–81, 86–90, 102, 103
  abnormal values, 76
  abstract of 1879 in error, 56
  ambiguities, 54, 55

* If a name appears only in a foot-note or a reference, the appropriate reference symbol is attached to it; e.g., Birge, R. T. [6]. Other numbers refer to pages. The entire group of pages in a study of an author's work is given, even though the author's name does not appear on all of them. A *d* indicates that a definition is given on that page.

INDEX *

Abnormal values, 76
Absolute measurements, 9–13
  definitive value, 9*d*
  dubiety, 9*d*
  opinion of worker, 11
  procedure, 10
  quaesitum, 4, 9*d*
  report, 12
  search for errors, 11
Acceleration of wheel, 29, 44, 100–101
Accuracy, worker's estimate, 11
  limited by standards, 11
Ambiguities, 54, 55
Anderson, W. C., 2, 4, 70, 82–84, 86–89, 103
Average, significant digits, 7
  validity, 6

Base diameter, 98*d*
Best value, 7, 8
Bias, 62
Birge, R. T., 3[6]
Bowie, E. H., 69
Bowie, W., 66, 67, 70, 79
Brace, D. B., 54

Catenary, 57
Chance, 11, 12
Conclusions, 85
Condition, equation of, 7
Conservation of light, 13
Constant error, 6
Cornu, A., 2–4, 15–36, 37, 43, 49, 55, 63, 66, 76, 77, 78, 81, 85–87, 89–92, 94–96, 100–102
  apparatus, 18
  approximations, 29
  auxiliary vibrator, 18, 23–29
  critical region, 22, 23, 30, 31, 46, 95*d*, 96
  crossed double observation, 19*d*, 94, 96*d*
  definitive values, 33–36
  diameter of effective source, 18, 90
  discordance dubiety, 21
  discussion of data, 31
  double observation, 19*d*, 94, 96*d*
  equivalent sectored disk, 23, 91*d*
  errors, sources of, 22
  Helmert's discussion, 17
  hesitation term, 19, 92
  K-formula is erroneous, 31
  normal region, 22, 95*d*
  oscillator, 18, 23–29
  phantom, 23, 91*d*
  procedure, 15, 19
  purpose of work, 18
  rectified values, 31, 32
  report, 1874, 17;1876, 17
  smoked wheels, 23
  timing, 18
  treatment of data, 29
  vibrator, 18, 23–29
  wheels, 18, 23
  work of 1872, 15
    of 1876, 17
Critical region, 22, 23, 30, 31, 46, 95*d*, 96
Crossed double observation, 19*d*, 94, 96

Data, primary is essential, 3
  report erratic, 12
Deficiency dubiety, 10*d*
Definitive value, 9*d*
Delay at reflection, 88, 89
Deming, W. E., 5[8]
Detectable error, 5, 6
Deviation, mean, 5*d*
  root-mean-squared, 9
  standard, 5*d*
Diameter, base, 98*d*
Diameter of effective source, 18, 45, 90
Diffraction effects, 13
Discordance dubiety, 9*d*, 10
Disk, equivalent sectored, 23, 91*d*
Double observation, 19*d*, 94, 96
Drift in the velocity, 2, 3, 87
Dubiety, 9–10

Edges, matched, 98*d*
Edmondson, F. K., 3
Ehrenfest, P., 70[34]
Eisenmann, J., 64
Equations, index of, 110
  normal, 8, 9
  of condition, 7
  weighting of, 8
Equivalent sectored disk, 23, 91*d*
Erratic data to be reported, 12
Erroneous *K*-formula, 31
Error, least detectable, 5, 6
  probable, 4*d*, 5, 51
  quartile, 4*d*
  technical probable, 4*d*, 5, 51
  in weighting, 8
Errors, to be sought, 10–12
  constant, 6*d*
  systematic, 6*d*, 46
  theory of, 4

Fair sample, 5, 7
Family of measurements, 4*d*
Fizeau, H., 2, 4, 13, 15, 16, 18, 36, 66, 81, 85, 89, 90, 102, 104
  method of, 90–101
  work, 13
Forbes, G., 4, 77
Fork, frequency of, 59, 64, 70
  temperature of, 62

Foucault, L., 2, 4, 13, 14, 16, 17, 47, 54, 55, 63, 64, 66, 77, 78, 80, 81, 85, 86, 89, 101–103
  conservation of light, 13
  diffraction effects, 13
  method of, 101–103
  principles obscure, 89
  unappreciated by Michelson, 14, 66
Froment, P. G., 13, 15

Gheury de Bray, M. E. J., 2, 3, 76, 83
Gramatzki, H. J., 3[6]
Gray, L. G., 69
Group velocity, 70, 82, 89

Helmert, F. R., 3, 17, 63, 77, 85
  -Cornu value, 17
    discussion, 17
Helweg, J. F., 55
Heminway, A. G., 55
Hesitation term, 42, 92*d*
Holcombe, 49
Hüttel, A., 4, 84–85, 86–89, 103

Impulse sustained oscillations, 105–106
Irregularities, Mechanical, 95–100

Karolus, A., 81, 82, 84, 86, 88, 89, 103, 104
Kelvin, (Lord), 12
Kennedy, R. J., 3[6]
Kerr-cell methods, 103–104
K-formula erroneous, 31
Kitchener, (Earl), 3[6]

Ladenburg, R., 69
Least detectable error, 5, 6, 10
Least squares, 7–9
Legendre, A. M., solution, 7, 8
LeVerrier, U. J. J., 18
Light, conservation of, 13
Limiting mean, 4*d*
Listing, J. B., 76, 77[40], 78
Lorentz, H. A., 81, 88, 90

Machiels, A., 3[6]
Matched edges, 98*d*
Maurer, H., 3[6]
Mayer, A. M., 56, 59
Mean, limiting, 4*d*
Measurement, absolute, 9–13
Measurements, family of, 4*d*
Mensural dubiety, 9*d*
Methods, 89
Michelson, A. A., 2, 3, 4, 14, 47, 49, 54–81, 86–90, 102, 103
  abnormal values, 76
  abstract of 1879 in error, 56
  ambiguities, 54, 55

* If a name appears only in a foot-note or a reference, the appropriate reference symbol is attached to it; e.g., Birge, R. T. [6]. Other numbers refer to pages. The entire group of pages in a study of an author's work is given, even though the author's name does not appear on all of them. A *d* indicates that a definition is given on that page.

apparatus, 56, 64, 66, 69, 73, 74
bias, 62
break in values, 62
catenary, 57
concluding remarks, 79–81
confusion, 58, 63, 66
deficient in details, 54, 56–60, 62–64, 67, 70, 73, 79
definitive values, 63, 66, 70, 72, 76
déterminations, estimates, etc., 76
discordance dubiety, 61, 65, 68, 71, 73, 76
displacement of image, 58
drift, 75
errors in abstract of 1879, 56
not sought for, 54, 55, 71
exhausted tube, 73
failed to appreciate Foucault, 14, 66
frequency of fork, 59, 64, 67, 70
ignored sweep, 81
manuscript, 55
measurement, distance, 56, 64, 66, 70, 74
frequency of fork, 59, 64, 67, 70
radius, 57, 64
omission of values, 59, 72, 80
peculiarities of reports, 79
persistently abnormal values, 76
prismatic mirror, 66, 69, 73
probable error confused with accuracy, 66
provisional values, 68, 70
radius, 57*d*, 64
range in air correction, 69
report, 1927, 69–73
1935, 73–76
revision of values, 56, 63, 69
series of observations, 75*d*
set of observations, 59*d*, 74*d*
speed of mirror, 61, 62, 76, 79, 80
sweep ignored, 81
temperature of fork, 62
tests inconclusive, 61
values and estimates, 76
vibration of mirror, 76, 80
work, 1878, 54–55
1879, 55–64
1882, 64–66
1924, 66–69
Minimum discordance dubiety, 10
Mirror, vibration of, 49–53, 61, 62, 76, 80
Mittelstaedt, O., 4, 81, 82, 84, 86–89, 103, 104

Newcomb, S., 3, 4, 47–54, 55, 56, 62–64, 67, 76–78, 80, 81, 85–87, 90, 102, 103
conclusions, 53
definitive value, 51, 54
discordance dubiety, 49
probable error used in two senses, 51
rotating mirror, size, 47
vibration, 49–53
suggestions, 54
unnoticed variability, 54
Normal equations, 8, 9
Normal region, 19, 95*d*

Observations, crossed double, 19*d*, 94, 96
double, 19*d*, 94, 96
preliminary, 13, 70
provisional, 68, 70
Omer, G. C., Jr., 3[6]
Omission of values, 59, 72
Opinion, effect of preconceived, 2, 15, 34
worker's concluded, 11
Oscillations, impulse sustained, 105–106
Oscillator, Cornu's, 18, 23–29, 37, 43

Pearson, F., 4, 73–76, 83, 86, 88
Pease, F. G., 4, 73–76, 83, 86, 88
Peculiarities, Michelson's, 79
Perrotin, J., and Prim, 2–4, 36–47, 49, 77, 78, 85–87, 90, 92, 94–96, 100, 101
acceleration of wheel, 44
apparatus, 37
classification of data, 42
definitive value untrustworthy, 42
diameter of effective source, 45, 90
discarded short-path data, 37
discordance dubiety, 39, 47
formulas incorrect, 37, 41, 42
hesitation term, 42, 92
mean error, 39*d*
new study of data, 42–47
oscillator, 37, 43
systematic error, 46
Phantom, 23, 91*d*
Phase velocity, 82, 89
Phototachometer, 47
Plan of article, 4
Preliminary values, 13, 68, 70
Primary data essential, 3
Prismatic mirror, 54, 66, 69, 73
Probable error, 4, 5, 51
significance of, 5
Procedure, absolute measurements, 10
Anderson, 82–84
Cornu, 15, 19
Fizeau, 13
Foucault, 13, 14
Hüttel, 84
Karolus and Mittelstaedt, 81
Michelson, 54, 56–58, 64, 66, 70, 73–75
Newcomb, 47–49
Perrotin and Prim, 36, 37
Purpose of article, 4

Quaesitum, 4, 9*d*
Quartile error, 4*d*

Radius, 57*d*
Range, 9, 87
Rectified values, 31
Reflection, delay at, 88, 89, 90
Report, 12
Reynolds, O., 70[35]
Root-mean-squared deviation, 9

Salet, P., 3[6]
Sample, fair, 5, 7
Search for errors is essential, 10–12
Sectored disk, equivalent, 23, 91*d*
Secular variation, 2, 3, 87
Series of observations, 75*d*
Set of observations, 59*d*, 74*d*
Setting of disk, 91*d*, 92
Significance of probable error, 5
Significant digits, 6, 7
Small octagon, 67
Smith, A. B., 3[6]
Smoked wheels, 23
Speed of wheel, 100–101
Standard deviation, 5*d*
Standard, limit set by, 11
Sum, significant digits, 6, 7
Summarizing of determinations, 7
Summary, 85–87
Symbols, 91, 101
Systematic error, 6, 46
Sweep of light, 81, 88–90

Takéuchi, T., 3[6]
Technical probable error, 4*d*
Temperature of fork, 62
Tests in absolute measurements, 11
Theory of errors, 4
Timing, 18
Todd, D. P., 56

Unique value, no, 9

Validity of averaging, 6
Variation in velocity of light, claimed and proposed, 2–3
nonexistent, 87
Velocity, group, 70, 82, 89
of light, 87
phase, 82, 89
Vibration, impulse sustained, 105–106
of mirror, 49–53, 61, 62, 78–80
Vibrator, Cornu's, 18, 23–29, 37, 43
Vrkljan, V. S., 3[6]

Weighting of equations, 8
Wheel, velocity and acceleration, 100
Wheels, 13, 18, 23, 37, 45
Wilson, O. C., 3[6]

Young, J., 4, 77

INDEX OF EQUATIONS

Equation	Subject	Page
1–9	Theory of errors	5
10–11	Least squares	7
12–17	Least squares	8
18–19	Least squares	9
20–21	Discordance dubiety	10
22	Diameter of source, Fizeau method	18
23–25	Equations, Fizeau method	19
26	The *H*-formula, Cornu's work	31
27–33	Derivation of erroneous *K*-formula	31
34	Perrotin and Prim's erroneous formulas	41
35, 36	Acceleration of wheel, Perrotin and Prim	44
37	Comparison of observations with theory	45
38–42	Effect of variation of acceleration with q	46
43	Equation, Newcomb's work	47
44	Torque for elastic distortion	51
45	Force for elastic distortion	52
46	Periodic terms in speed of mirror	52
47–56	Torque and force for sinusoidal change in speed	53
57–63	Effect of catenary, Michelson's tape	57
64–66	Measuring of displacement, Michelson	59
67–68	Michelson's formulas of 1924	67
69	Anderson's formula	83
70	Effect of delay at reflection	89
71, 72	Diameter of source, Fizeau method	90
73–78	Equations for Fizeau method	91
79–81	Equations for Fizeau method	92
82–92	Equations for Fizeau method	93
93–101	Equations for Fizeau method	94
102–108	Equations for Fizeau method	95
109–113	Effect of sinusoidal variations	98
114–118	Effect of sinusoidal variations	99
119–129	Speed and acceleration of wheel	101
130	Time of transit	103
131	General expression for angular position of mirror	103
132–135	Period of impulses nearly multiple of free period	105
136–139	Period of impulses much smaller than free period	106



INDEX

Analysis of spectrum, 116–126
  table of progress, 114

Babcock, H. D., 114, 115, 132
Burns, K., 113, 114, 116

Catalán, M. A., 113, 114, 116
Classified lines, description of tables, 132
  list, table B, 139
  number, 114
Comparison of Fe I with Fe III, table 2, 117
  with Fe II, table 3, 117
  of Fe II and Fe III, table 4, 117

Dobbie, J. C., 117

Edlén, B., 117
Electron configurations, high even levels, 119–121
  low even levels, 116–118
  odd levels, 121–125
  unclassified levels, 125
Energy levels, accuracy, 116
  list, table A, 134
  number detected, 114, 116

Green, L. C., 113

Harrison, G. R., 114, 181
Hund, F., 113, 114
Hund Theory, comparison with observation, 116–125
  apparent exception, 125

Intensities, compilation, 115
  inaccuracy, 115
  sources, 139
Intensity of combinations, singlets, table 17, 125
  triplets, table 15, 124

Ionization potential, 116, 118, 119

Kiess, C. C., 115
King, A. S., 115, 123, 126

Laporte, O., 113, 114, 117

Meggers, W. F., 113, 115
Multiplets, number, 114
  predicted solar lines in, 127

Pentads, high even, 119–121
Predicted lines in solar spectrum, list, table C, 170
  method of study, 126–129
  probability of accidental coincidences, 129, 130
  reality of accepted cases, 130, 131
Probability of accidental coincidences with solar lines, 129, 130

Quintet terms, analysis, 119, 122, 123

Rydberg denominators, 118–120

Septet terms, analysis, 119, 121, 122
Singlet terms, analysis, 117, 124, 125
Solar spectrum—lines of Fe I, apparent absences, probably illusory, 132
  number of lines present, table 24, 132
  observed lines present, 132
  predicted lines probably present, table C, 170
  Revised Rowland Table, 115
  source for iron spectrum, 126
Sources, intensity, 115
  table B, 139
  temperature class, 115
  wave-length, 115

Spectral series, 118, 119
Structure of spectrum, 116–126
Swings, P., 117

Temperature classification, list, table B, 139
  sources, 115
Terms, spectroscopic; list, table A, 134
  number, 114
  predicted odd terms, 121–125
  Zeeman g-values, tables A, E, 134, 203
Triads of terms, 122–125
Triplet terms, analysis, 117, 119, 123, 124

Unclassified levels, 116, 125
Unclassified lines, 126
  table 19, 127

Walters, F. M., Jr., 113, 114, 116
Wave-lengths, accuracy, 115
  bibliography of table B, 169
  compilation, 115
  sources, 115
  table B, 139

Zeeman effect, 181–183
  method of analysis, 181
Zeeman g-values, accuracy of final values, 182
  comparison with Landé's theory, table 26, 182
  correction of preliminary determinations, 182
  final values, 183
  perturbations, 183
  table E, 203
Zeeman patterns, observed, 181
  table D, 184